



亚太富士电梯（广宁）有限公司

YaTai Fuji Elevator(GaungNing) Co., Ltd

地址：广东广宁横山荔洞高新产业园二期

ADD: Lidong High-tech Industrial Park,
Hengshan, Guangning, Guangdong

网站：<http://www.yataifushi.com>



亚太富士 别墅电梯

YaTai Fuji Villa Elevator



YGem®

目录

CATALOGUE

企业简介	1-4
定制化设计满足多样化结构	5-6
部分功能及配置对比表	7-8
机房电梯和小机房电梯	9-10
别墅电梯轿厢效果图	11-12
选配轿厢	13-14
观光电梯标配轿厢	15-16
层门效果图和扶手选配	17-18
别墅梯土建布局图	19-20
部分客户案例	21-22
亚太富士电梯服务网点	23-24

Enterprise profile	1-4
Custom design meets diverse structures	5-6
Comparison table of some functions and configurations	7-8
Machine room elevator and small machine room elevator	9-10
Villa elevator car rendering diagram	11-12
Optional sedan	13-14
Sightseeing elevator is standard with a car	15-16
Floor door rendering and armrest matching	17-18
Villa ladder civil engineering layout diagram	19-20
Some customer cases	21-22
Asia Pacific Fuji Elevator Service outlets	23-24

01 ENTERPRISE PROFILE

企业简介»»

1946年，日本富士电梯工业株式会社创立富士电梯品牌，并成为日本电梯技术委员会第一批理事单位，凭着世界领先的日本富士变频技术和富士科技在微电子行业独特技术，从早期为电梯行业提供电子元器件发展为在亚太区域提供电梯核心部件而进入电梯整机市场，获得业界的普遍认可。

1995年起，富士品牌电梯被评选为十大电梯品牌之一，富士电梯借助富士科技在机电产品及微电子行业的先进产品设计理念，并严谨品质工艺、规范生产管理，不断追求技术创新，秉持踏实诚恳的专业精神，进一步向客户提供具有高可靠性、高标准、智能化的划时代产品。

2011在香港成立日本富士电梯有限公司，负责富士电梯在亚太地区的业务。

2022年1月在中国广东成立亚太富士电梯（广宁）有限公司，增添更多的销售服务网络，即时响应每一个客户的需求。目前以动态合作的形式、确保将最新应用的技术永久地向客户提供最优秀的品质、最完善的服务、最佳的价格性能比。以满足人们更加安全、更加舒适、更加智能的出行环境，为社会发展、人类幸福做出贡献。

In 1946, Japan Fuji elevator industry, founded Fuji elevator brand, and become the director of the first Japanese elevator technical committee unit, with the world's leading Japan Fuji frequency conversion technology and Fuji technology in microelectronics industry unique technology, from the early for the elevator industry to provide electronic components in the asia-Pacific region elevator core parts into the elevator machine market, for the industry.The general recognition.

Since 1995, Fuji brand elevator has been selected as one of the top ten elevator brands, Fuji elevator borrowed Help Fuji technology in the mechanical and electrical products and microelectronics industry advanced product design concept, and rigorous quality technology, standardized production management, the continuous pursuit of technological innovation, uphold the practical and sincere professional spirit, into one Step to provide customers with high reliability, high standards, intelligent epoch-making products.

In 2011, Japan Fuji Elevator Co., Ltd. was established in Hong Kong.Negative need rich ten elevators in the Asia-Pacific region District business.

In January 2022, Asia Pacific Futu Elevator (Guangning) Co., Ltd. was established in Guangdong, China. add More sales and service network, instant response to every customer's needs.Currently, in the form of dynamic cooperation, to ensure that the latest applied technology is permanently used to provide customers with the best quality, the best service, the best price and performance ratio.To meet people to be safer, more comfortable, more intelligent The environment, to contribute to social development and human happiness.



广东肇庆生产基地

Guangdong Zhaoqing production base



**Quality
Management**

追求完美，精益求精



追求卓越 服务至上

The pursuit of excellence and service first

02 CUSTOM DESIGN SATISFY DIVERSIFIED STRUCTURE

定制化设计满足多样化结构 ➤➤➤



独立的框架玻璃设计,不额外增加建筑成本,透光性好,与室内装潢融为一体;
安装位置可自选;井道框架选用工业级铝合金,耐腐蚀,
寿命周期长;玻璃采用安全夹胶玻璃。

Independent frame glass design, no additional construction cost, good light transmission, Integrated with interior decoration; Installation position optional; Industrial grade aluminum alloy is selected for well frame, corrosion resistant, Long life cycle; The glass is made of safety laminated glass.


井道兼容性 WELL COMPATIBILITY



框架结构井道适用
Frame structure well applicable

封闭的砖混结构适用
Closed brick and concrete structure applies

高级喷涂铝合金框架 ADVANCED SPRAYED ALUMINUM ALLOY FRAME



四种井道结构均可以安装我们的产品

超强的结构设计能力和丰富的安装经验为别墅的空间结构提供合理的安装布置方案,
即使很小的空间也能享受电梯带来的品质生活。

Our products can be installed in all four well configurations


Super structural design ability and rich installation experience for the villa space structure to provide a reasonableThe installation layout scheme, even if the space is very small can also enjoy the quality of life brought by the elevator.

1




建筑预留专用井道
The building reserved special well way

2



别墅电梯可直接安装在
预留井道内
Villa elevator can be directly installed
in the reserved well

靠近楼梯周围
有适当的空间
Around the stairs there is
adequate space



可在周围适当位置
安装别墅电梯
Can be around the appropriate location
Installation of villa elevator

3



想要安装在室内的
却没有合适的空间
You want to install it indoors, there was
no space for it



在合适的楼板位置加装
井道安装别墅电梯
Install the floor slab in the appropriate position
Well installation villa elevator

4



建筑内没有合适的
位置可安装在室外
There are no suitable positions in the building
Location can be installed outdoors




在室外加装井道
安装别墅电梯
Install outdoor well paths
Installation of villa elevator

03 FUNCTION CONFIGURATION COMPARISON

部分功能及配置对比表 >>>

序	名称	说明
1	一键呼叫功能	可自动呼叫5个情亲号码
2	停电自动平层开门装置	配置锂电池，使用寿命更长，可靠性更高
3	人机界面	轿内10.1寸液晶显示、外呼LED显示、光电触摸按钮
4	合金钢减震器	提升乘坐舒适感，更平顺，更静音，并且经久耐用
5	主体结构质保期20年	轿厢架、导轨、主机架、对重框、承重梁等
6	中文控制系统	使用方便，维护简单，一般技术员都能知道电梯状态，减少不必要的后期开支。
7	预留主板升级接口	升级方便，确保功能不过时
8	保养提示功能	当电梯需要保养时，电梯会语音提示保养周期已到，维保管理更轻松！也避免因未及时保养造成损失。
9	故障语音提示功能	如果电梯出现了故障，电梯会语音提示它哪里有问题，这样既可以让用户清楚原因，也让维修变得更容易，提高工作效率！

order	name	explain
one	One-click call function	Can automatically call 5 friendship numbers
two	Power failure automatic level door opening device	Configuration with lithium battery, longer service life, higher reliability
three	human-computer interface	Inside the car, the 10.1-inch LCD display, outbound LED display, photoelectric touch button
four	Alloy steel shock absorber	Enhance ride comfort, be smoother, quieter, and more durable
five	The warranty period of the main structure is 20 years	Car frame, guide rail, main engine frame, pair of heavy frame, load-bearing beam, etc
six	Chinese control system	Easy to use, simple to maintain, general technicians can know the state of the elevator, reduce unnecessary later expenses.
seven	Preset the motherboard upgrade interface	Easy to upgrade, ensure the features are up-to-date
eight	Maintenance prompt function	When the elevator needs to be maintained, the elevator will voice prompt the maintenance cycle has arrived, maintenance management is easier! Also avoid losses caused by timely maintenance.
nine	Voice prompt function	If the elevator fails, the elevator will voice prompt where there is a problem, which can not only let the user know the reason, but also make the maintenance become easier, improve work efficiency!




序	名称	说明
10	使用提示功能	当乘客使用不当时，会语音告诉乘客如何正确使用电梯，避免因使用不当造成电梯故障或损坏，减少不必要的开支，也减少了管理工作。
11	智能防捣乱功能	语音提示小朋友不要乱呼电梯，如乱呼2层，会自动取消所有登记。
12	双色按钮	待机白光，选中发红光，方便乘客快速找到相关楼层。
13	刹车自动检测功能	电梯自己会检测刹车有没有问题，不只依赖于维保人员的责任心，保障电梯不会打滑。
14	门锁装置自动检测	每次运行电梯自己会检测门锁装置有没有问题，避免开着门运行发生危险。
15	超速保护功能	如果电梯超速15%，限速器会立即动作、断开安全回路、同时联动安全钳强制停电梯，杜绝电梯坠落！
16	关门防夹功能	当电梯关门受阻时会重新开门关门有效保护被夹物体。
17	所有保护功能	安全钳保护、限位保护、超载保护、缓冲器保护、过热保护、过流保护、过载保护.....(满足国标所有要求)
18	所有运行模式	自动运行、司机运行、消防运行、检修运行、紧急电动运行.....
19	开门待机功能	电梯里面不会闷热，省安装电梯空调的钱
20	配件通用	我公司产品部件技术参数与中国市场相符，不垄断，后期使用成本较低
21	闭环售后服务	公司每季度回访用户需求，形成闭环管理，长期提供维修保养服务

order	name	explain
ten	Use the prompt function	When passengers use it improperly, they will use the voice to tell passengers how to use the elevator correctly, to avoid the failure or damage caused by the elevator due to improper use, reduce unnecessary expenses, and also reduce the management work.
eleven	Intelligent anti-disruptive function	Voice prompt children do not call the elevator, such as call 2 floor, will automatically cancel all registration.
twelve	Two-color button	Standby white light, select the red light, convenient for passengers to quickly find the relevant floor.
thirteen	Brake automatic detection function	The elevator itself will detect whether the brake is wrong, not only rely on the responsibility of the maintenance personnel, to ensure that the elevator will not skid.
fourteen	Automatic detection of the door lock device	Every time you run the elevator, you will check the door lock device to avoid the danger of opening the door.
fifteen	Overspeed protection function	If the elevator exceeds 15%, the speed limiter will act immediately. Disconnect the safety loop, at the same time linkage safety clamp forced to stop the elevator, to prevent the elevator from falling!
sixteen	Close the door to prevent clip function	When the elevator closing is blocked, it will open and close again to effectively protect the trapped object.
seventeen	All protection functions	Safety clamp protection, limit protection, overload protection, buffer protection, overheating protection, overcurrent protection, overload protection, (meet all requirements of national standard)
eighteen	All running modes	Automatic operation, driver operation, fire fighting operation, maintenance operation, Emergency electric operation, the
nineteen	Open the door standby function	The elevator will not be sultry inside, save the money of installing the elevator air conditioning
twenty	Accessories general	The technical parameters of our product parts are consistent with the Chinese market, not monopoly, and the later use cost is low
twenty-one	Closed-loop after-sales service	The company visits user needs every quarter, forms a closed-loop management, and provides long-term maintenance services

04 MACHINE ROOMLESS ELEVATOR

无机房电梯 >>>



节省空间轻松融入建筑

SPACE SAVING IS EASILY
INTEGRATED INTO THE BUILDING


产品特点

PRODUCT FEATURES

- 01 宁静平稳 QUIET AND SMOOTH
- 02 精美外观 ELEGANT APPEARANCE
- 03 节能环保 ENVIRONMENTAL PROTECTION
- 04 性能可靠 RELIABLE PERFORMANCE
- 05 规格多样 VARIED SPECIFICATIONS
- 06 款式丰富 DESIGN IS RICH
- 07 信号装置新颖大方 SIGNAL DEVICE IS NOVEL AND GENEROUS
- 08 预防性维保 PREVENTIVE MAINTENANCE

05 SMALL MACHINE ROOM

小机房电梯 >>>



>> 安全

自动检测刹车:每天系统对刹车自动检测2次,不只依赖于维修员的责任心。

自动检测门锁:每次运行系统自动检测门锁可靠性。

意外移动保护:电梯只要出现意外移动,会强制制停电梯。

电动盘车功能:紧急情况下,电动盘车比人力盘车更快更方便。

Automatic detection on braking: System automatically checks the braking 2 times a day, so that it does not rely on manual maintenance.

Automatic detection on door lock: System automatically checks door locks every time when operation system is running.

Accidental displacement protection: Elevator will be forced to stop when any displacements occur.

Electric barring function: Electric barring is running faster and more effectively when emergency occurs.

>> 智能

教乘客操作电梯:当乘客使用不当时,电梯会告诉乘客如何使用。电梯生病了会告诉你他是哪里不舒服:如门锁不通、电压过低等等运行中会放音乐给你听或播放电梯使用常识,让你爱上电梯。

Operational instruction: Passengers will be instructed how to use elevators correctly when any improper operations taken.

Auto signals released for any abnormal situations: Signals will be released automatically to let users know in any abnormal situations, such as low voltage, inaccessible to door locks and soon. Music and user regulations are also optional for users during their rides, all of this will make them fall in love with using our products.

>> 省心省钱 高效舒适

中文控制系统:中文人机界面,对技术不保密,一般技术人员能维保电梯。高效永磁同步主机:节能环保、运行平稳、噪音小。

变频变压变流控制:启动、加速、减速、停车完美的运行曲线合理派梯。

客梯标配豪华轿厢:用户一般不用选配,就有很好的外观效果,少花钱。

部件互换性高:部件技术参数与中国市场相符,避免高价配件,后期使用成本低。

关键部件质保期长:曳引机、主板、变频器质保3年。

Human-machine interactive surface: All techniques are provided via human-machine interactive, which allows general technicians to maintain elevator independently.

Effective, permanent-magnet synchro main engine: Environmental stable and less-noise.

Controlling system of frequency conversion, voltage conversion and electrical conversion: All of these techniques does not only provide possibility of reaching a perfect moving track through starting up, acceleration, deceleration and stop, but also the feasibility of arrangement according to users actual demands.

Luxurious design: Good looks can be expected inside cars without additional options made from customer, which really helps with cost saving. Replaceable accessories: All accessories are accordant with standards of their counterparts sold in current market for avoiding high cost of maintenance.

Extension on quality assurance of core parts: 3 years of quality assurance on traction machine, mother board and frequency converter.

06 VILL ELEVATOR WITH STANDARD CAR

别墅电梯轿厢效果图 >>>



扫码查看3D全景效果
Scan the code to view the 3D panoramic effect



轿内10寸液晶显示
触摸按钮
The 10-inch LCD display
touch button in the car



外呼LED显示
触摸按钮
The outbound call LED
displays the touch button



扫码查看3D全景效果
Scan the code to view the 3D panoramic effect



轿内10寸液晶显示
触摸按钮
The 10-inch LCD display
touch button in the car



外呼点阵显示
触摸按钮
The outbound lattice
displays the touch button

▲ XZ-03-1(标配)

吊顶	DD-003 镜面不锈钢
Suspended ceiling	DD-003 Mirror stainless steel
壁板材料	镜面蚀刻不锈钢+发纹不锈钢
Wallboard material	Mirror finish stainless steel, Hairline stainless steel
地板	DB-011 PVC
Floor	

▲ XZ-06-1

吊顶	DD-004 镜面不锈钢
Suspended ceiling	DD-004 Mirror stainless steel
壁板材料	镜面蚀刻不锈钢+发纹不锈钢
Wallboard material	Mirror finish stainless steel, Hairline stainless steel
地板	DB-002 PVC
Floor	

07 PASSENGER ELEVATOR MARKING CAR

选配轿厢 >>>



◆ XZ-002

吊顶 Suspended ceiling	DD-008 镜面不锈钢 DD-008 Mirror stainless steel
壁板材料 Wallboard material	镜面不锈钢、柚木色钢板 Mirror finish stainless steel, Teak colored steel plate
地板 Floor	DB-001 PVC



◆ XZ-013

吊顶 Suspended ceiling	DD-002 镜面不锈钢 DD-002 Mirror stainless steel
壁板材料 Wallboard material	镜面不锈钢+ 柚木色钢板 Mirror finish stainless steel, Teak colored steel plate
地板 Floor	DB-001 PVC



◆ XZ-010

吊顶 Suspended ceiling	DD-001 镜面不锈钢 DD-001 Mirror stainless steel
壁板材料 Wallboard material	镜面蚀刻不锈钢+发纹不锈钢 Mirror finish stainless steel, Hairline stainless steel
地板 Floor	DB-001 PVC

轿内10寸液晶显示
触摸按钮

The 10-inch LCD display touch button in the car

外呼LED显示
触摸按钮

The outbound call LED displays the touch button

08 STANDARD ACCESSORY-COMBO FOR CAR OF OBSERVATION ELEVATOR

观光电梯标配轿厢 >>>



◆XZG-001

吊顶 Suspended ceiling	DD-003 镜面不锈钢 DD-003 Mirror stainless steel
壁板材料 Wallboard material	不锈钢、夹胶玻璃 Stainless steel, Glue laminated glass
地板 Floor	DB-001 PVC

LCD-T10A



轿内10寸液晶显示
触摸按钮

The 10-inch LCD display touch button in the car

F7M3-TP1A



外呼LED显示
触摸按钮

The outbound call LED displays the touch button

◆XZG-001-1(选配)

吊顶 Suspended ceiling	DD-002 镜面不锈钢 DD-002 Mirror stainless steel
壁板材料 Wallboard material	钛金不锈钢、夹胶玻璃 Stainless steel, Glue laminated glass
地板 Floor	DB-012 PVC



COP-08



WH-08




09 FLOOR IMPRESSION DIAGRAM

层门效果图 >>>


CM-01(标配)

厅门 Hall door	发纹不锈钢 Hairline Stainless Steel
小套门 Door	发纹不锈钢 Hairline Stainless Steel




CM-02

厅门 Hall door	银灰色 Silver gray
小套门 Door	银灰色 Silver gray




CM-03

厅门 Hall door	米黄色 Beige
小套门 Door	米黄色 Beige




CM-07

厅门 Hall door	钛金蚀刻不锈钢 Titanium mirror stainless steel
小套门 Door	镜面不锈钢 Mirror finish stainless steel



CM-08

厅门 Hall door	钛金蚀刻不锈钢 Black Titanium etching
小套门 Door	镜面不锈钢 Mirror finish stainless steel



CM-09

厅门 Hall door	钛金蚀刻不锈钢 Black Titanium etching
小套门 Door	镜面不锈钢 Mirror finish stainless steel



CM-04

厅门 Hall door	镜面蚀刻不锈钢 Mirror finish etching stainless steel
小套门 Door	镜面不锈钢 Mirror finish stainless steel




CM-05

厅门 Hall door	镜面蚀刻不锈钢 Mirror finish etching
小套门 Door	镜面不锈钢 Mirror finish stainless steel



CM-06

厅门 Hall door	玫瑰金蚀刻不锈钢 Rose gold etching
小套门 Door	镜面不锈钢 Mirror finish stainless steel



10 HANDRAIL OPTIONS

扶手选配 >>>




FS-001



FS-002



FS-003




FS-004


11 CIVIL LAYOUT OF VILLA LADDER

別墅梯土建布局图 >>>

**后对重别墅电梯
400 KG 标准布置图**



**侧对重别墅电梯
400 KG 标准布置图**



12 COMPLETED PROJECT EXAMPLES

部分客户案例 >>>



大莞市大岭山新世纪



重庆市巴南区阳光100阿尔勒



东莞市虎门国际公馆二期别墅

贵阳市云岩区贵乌路178号
阳光都市小区

遵义市中桥特色集镇第42号块地



东莞市南城区御泉山二区



安徽省亳州市维也纳庄园



安徽省合肥市城市之光



安徽省合肥市北城天骄



东莞市松山湖锦绣山河



长顺御景金湾



安徽省合肥西山林雨



深圳市南山区沙河西路 城市山谷 3期



安徽省卧龙山生态园区鹭山湖别墅



安徽省蜀山区文一名门首府



贵阳市珠江湾畔香溪墅




贵阳市保利·翡翠云邸



贵阳市牛津郡四街



福建厦门伴山墅



东莞御花苑海蓝湾



福建厦门建发碧湖



福建泉州碧桂园



贵州省铜仁市沿河县县政府旁




厚街海逸豪庭御翠湖畔

13 YATAI FUJI ELEVATOR SERVICE NETWORK

亚太富士电梯服务网点 >>>

由于篇幅限制

仅展示部分服务商



*本地图仅代表亚太富士电梯服务范围，并非中国国土地图，
亚太富士电梯坚定维护国家统一、民族团结、领土完整原则！