匠心之作

广东富士机电有限公司

Guangdong Fuji Electromechanical Co., LTD

地址：广东省广宁县高新产业园二期

Add：Guangdong Province Guangning County High-Tech Industrial Park Phase II

网站/Web：http://www.yataifushi.com

扫描二维码
关注广东富士机电

FUJILIFT
富士机电

广东富士机电有限公司

Guangdong Fuji Electromechanical Co., LTD

目录
CONTENTS

企业简介	1–2
部分功能及配置对比表	3–4
乘客电梯系列	5
别墅电梯系列	6
铝合金井架	7
空间定制全案服务专家	8
乘客电梯标准配置	9–10
别墅电梯标准配置	11–12
轿厢装潢	13–18
轿厢装潢	19–20
观光电梯轿厢装潢	21–22
医用电梯系列	23–24
加装电梯系列	25–28
载货电梯系列	29–30
载货电梯轿厢装潢	31–32
杂物电梯系列	33–34
厅门系列	35–38
扶手系列	38
自动扶梯	39
自动人行道	40
有机房客梯 土建布置图	41
无机房客梯 土建布置图	42
别墅电梯 土建布置图	43
载货电梯 土建布置图	44
自动扶梯 土建布置图	45
自动人行道 土建布置图	46
富士机电电梯服务网点	47–48

企业简介

ENTERPRISE PROFILE

“富士”品牌诞生于1923年，凭着世界领先的机电技术，获得全球市场的高度认可。

1995年富士品牌电梯被评选为十大电梯品牌之一。

为增添更多的服务网络，即时响应客户的需求，2022年成立广东富士机电有限公司。其严谨的品质工艺、规范的生产管理，不断追求技术创新，秉承踏实诚恳的工匠精神，向客户提供具有高可靠性、高标准、智能化产品。



部分功能及配置对比表

Function configuration comparison

序	名称	说明
1	一键呼叫功能	可自动呼叫5个亲情号码。
2	停电自动平层开门装置	配置锂电池，使用寿命更长，可靠性更高。
3	人机界面	轿内10.1寸液晶显示、外呼 LED 显示、光电触摸按钮。
4	合金钢减震器	提升乘坐舒适感，更平顺，更静音，并且经久耐用。
5	主体结构质保期20年	轿厢架、导轨、主机架、对重框、承重梁等。
6	中文控制系统	使用方便，维护简单，一般技术员都能知道电梯状态，减少不必要的后期开支。
7	预留主板升级接口	升级方便，确保功能不过时。
8	保养提示功能	当电梯需要保养时，电梯会语音提示保养周期已到，维保管理更轻松！也避免因未及时保养造成损失。
9	故障语音提示功能	如果电梯出现了故障，电梯会语音提示它哪里有问题，这样既可以让用户清楚原因，也让维修变得更简单，提高工作效率！



序	名称	说明
10	使用提示功能	当乘客使用不当时，会语音告诉乘客如何正确使用电梯，避免因使用不当造成电梯故障或损坏，减少不必要的开支，也减少了管理工作。
11	智能防捣乱功能	语音提示小朋友不要乱呼电梯，如乱呼2层，会自动取消所有登记。
12	双色按钮	待机白光，选中发红光，方便乘客快速找到相关楼层。
13	刹车自动检测功能	电梯自己会检测刹车有没有问题，不只依赖于维保人员的责任心，保障电梯不会打滑。
14	门锁装置自动检测	每次运行电梯自己会检测门锁装置有没有问题，避免开着门运行发生危险。
15	超速保护功能	如果电梯超速15%，限速器会立即动作、断开安全回路、同时联动安全钳强制制停电梯，杜绝电梯坠落！
16	关门防夹功能	当电梯关门受阻时会重新开门关门有效保护被夹物体。
17	所有保护功能	安全钳保护、限位保护、超载保护、缓冲器保护、过热保护、过流保护、过载保护……(满足国标所有要求)。
18	所有运行模式	自动运行、司机运行、消防运行、检修运行、紧急电动运行……
19	开门待机功能	电梯里面不会闷热，省安装电梯空调的钱。
20	配件通用	我公司产品部件技术参数与中国市场相符，不垄断，后期使用成本较低。
21	闭环售后服务	公司每季度回访用户需求，形成闭环管理，长期提供维修保养服务。

乘客电梯系列

Passenger elevator series

小机房乘客电梯 Small machine room passenger elevator

独特的小机房设计，采用紧凑密集型永磁同步无齿轮曳引机与特殊设计的控制柜。合理的土建布局实现机房面积与井道的一致大小，降低机房高度，节省建筑空间，拓展建筑物更大空间利用率，使楼宇优雅美观。

Unique small machine room design,using compact dense permanent magnet synchronous gearless traction machine and special design of control cabinet. Reasonable civil engineering layout can achieve the same size of machine room area and shaft, reduce the height of machine room, save building space, expand the utilization rate of building space, and make the building elegant and beautiful.

无机房乘客电梯 Machine roomless passenger elevator

富士机电无机房乘客电梯解除电梯对于建筑、建筑成本、建筑设计风格和使用范围的制约，在节约空间和节约成本的同时，为乘客带来上层智者的高效与稳健。

FSJD machine room-less elevator series resolves the restriction to the elevator in the construction, building cost, building design style, use range. At the same time of saving the space and cost, it provides the passengers with upper level intellectual, effective and stable travel.

别墅电梯系列

Villa elevator series

完美生活，舒适惬意 The perfect and comfortable life

别墅电梯能让您尽情享受安逸。专用的变频系统精确控制电梯的运行状态，多方位提升舒适体验。噪音小，安装方便，成就您美妙的居家环境。不仅节省了机房设计建造费用，更使您的建筑得到充分利用，占用面积小、安全可靠，这都是富士机电为您想到的。
别墅电梯是复式和多层居家理想的实用又精致的电梯，也是老人、病人、残疾人居家最理想的上下层交通工具。

Villa elevator can let you enjoy the comfort. The special frequency conversion system precisely controls the elevator's running state and enhances the comfortable experience in various directions . Low noise, easy installation, your wonderful home environment. Not only save the design and construction cost of the machine room, but also make full use of your building, small footprint, safe and reliable, which will be FSJD for you to think of.
villa elevator is duplex and multi-storey home ideal practical and delicate elevator, but also the elderly, the sick, the disabled home the most ideal upper and lower transport.

铝合金井架

Aluminum alloy well frame

▶ 井道兼容性

Small machine room passenger elevator

框架结构井道适用
Frame structure
well applicable

封闭的砖混结构适用
Closed brick and concrete
structure applies

▶ 可选颜色

Optional color

米白
Rice white

香槟色
Champagne color

苹果金
Apple gold

棕黑
Brown black

空间定制全案服务专家

Tailor-made space
solution plan service specialist

以下5种楼房结构可安装我们的产品

②③④⑤场合需要加装电梯使用的井道，客户也可以根据自己喜好采用金属框架或混凝土等材料自建井道。

②③④⑤occasions need to install hoistways for elevators.Customers can also use metal frames or concrete and other materials to build hoistways according to their preferences.

1 建筑预留井道

Reserved hoistway
for buildings



2 环绕楼梯型

Circumferential stair type



3 中空大厅型

Hollow hall type



4 室内楼梯开孔

Indoor stair opening



5 楼外加装型

Re-installation type
outside the building



乘客电梯标准配置

Passenger elevator car decoration

出入平安

Go in and out safely

扫描二维码
720° 了解轿厢

COP-08

WH-08

JX-001 标配 Standard

吊顶：DD-05 镜面不锈钢
Ceiling：DD-05 Mirror stainless steel

后壁中板：镜面不锈钢
Rear-wall center-panel：Mirror stainless steel

侧壁中板：镜面不锈钢
Side-wall center-panel：Mirror stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-008 PVC
Floor：DB-008 PVC

平步青云

Rise through the ranks

JX-002 选配 Optional

吊顶：DD-02 镜面不锈钢
Ceiling：DD-02 Mirror stainless steel

后壁中板：发纹不锈钢
Rear-wall center-panel：Hairline stainless steel

侧壁中板：发纹不锈钢
Side-wall center-panel：Hairline stainless steel

边板：镜面不锈钢
Side-panel：Mirror stainless steel

前壁板：镜面不锈钢
Front wall panel：Mirror stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-S01 石塑耐磨地板
Floor：DB-S01 Stone plastic wear-resistant floor

扫描二维码
720° 了解轿厢

别墅电梯标准配置

Villa elevator car decoration

万事如意

All the best

扫描二维码
720° 了解轿厢



银色
silvery

香槟金
Champagne gold

F7M3-TP1A

外呼LED显示
触摸按钮

Outbound LED display
Touch button

LCD-T10A

轿内10寸液晶显示
触摸按钮

Car inside 10 inch LCD
display Touch button

JX-003 选配 Optional

吊顶：DD-03镜面不锈钢
Ceiling：DD-03 Mirror stainless steel

后壁中板：中国结 镜面蚀刻不锈钢
Rear-wall center-panel：China knot mirror etched stainless steel

侧壁中板：镜面不锈钢
Side-wall center-panel：Mirror stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-011 PVC
Floor：DB-011 PVC

吉星高照

The best luck is in the sky

JX-005 选配 Optional

吊顶：DD-01镜面不锈钢
Ceiling：DD-01 Mirror stainless steel

后壁中板：柚木纹 钢板
Rear-wall center-panel：Teak grain steel plate

侧壁中板：柚木纹 钢板
Side-wall center-panel：Teak grain steel plate

边板：镜面不锈钢
Side-panel：Mirror stainless steel

前壁板：镜面不锈钢
Front wall panel：Mirror stainless steel

轿门：镜面不锈钢
Car door：Mirror stainless steel

地板：DB-031 PVC
Floor：DB-031 PVC

扫描二维码
720° 了解轿厢

轿厢装潢

Car decoration

招财进宝

Make money and gain treasure

JX-006 选配 Optional

吊顶：DD-09 镜面不锈钢
Ceiling：DD-09 Mirror stainless steel

后壁中板：麒麟 黑钛蚀刻不锈钢
Rear-wall center-panel：Kirin black titanium etched stainless steel

侧壁中板：镜面不锈钢
Side-wall center-panel：Mirror stainless steel

边板：香槟金拉丝不锈钢
Side-panel：Champagne gold brushed stainless steel

前壁板：香槟金拉丝不锈钢
Front wall panel：Champagne gold brushed stainless steel

轿门：香槟金拉丝不锈钢
Car door：Champagne gold brushed stainless steel

地板：DB-025 PVC
Floor：DB-025 PVC

扫描二维码
720° 了解轿厢

四季平安

Peace throughout the year

JX-007 选配 Optional

吊顶：DD-05 镜面不锈钢
Ceiling：DD-05 Mirror stainless steel

后壁中板：竹/梅 镜面蚀刻不锈钢
Rear-wall center-panel：Bamboo/plum mirror etched stainless steel

侧壁中板：镜面不锈钢
Side-wall center-panel：Mirror stainless steel

边板：香槟金拉丝不锈钢
Side-panel：Champagne gold brushed stainless steel

前壁板：香槟金拉丝不锈钢
Front wall panel：Champagne gold brushed stainless steel

轿门：香槟金拉丝不锈钢
Car door：Champagne gold brushed stainless steel

地板：DB-008 PVC
Floor：DB-008 PVC

扫描二维码
720° 了解轿厢

花开富贵

Rich and prosperous in flowers

JX-008 选配 Optional

吊顶：DD-08 镜面不锈钢
Ceiling：DD-08 Mirror stainless steel

后壁中板：花 镜面蚀刻不锈钢
Rear-wall center-panel：Floral mirror etched stainless steel

侧壁中板：镜面不锈钢
Side-wall center-panel：Mirror stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-025 PVC
Floor：DB-025 PVC

扫描二维码
720° 了解轿厢

大家风范

Everyone's style

JX-009 选配 Optional

吊顶：DD-02 镜面不锈钢
Ceiling：DD-02 Mirror stainless steel

后壁中板：大理石纹路板 暗藏灯带
Rear-wall center-panel：Marble grain board hidden light strip

侧壁中板：发纹不锈钢
Side-wall center-panel：Hairline stainless steel

边板：镜面不锈钢
Side-panel：Mirror stainless steel

前壁板：镜面不锈钢
Front wall panel：Mirror stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-020 PVC
Floor：DB-020 PVC

扫描二维码
720° 了解轿厢

前程似锦

The future looks brighr

JX-010 选配 Optional

吊顶：DD-10 镜面不锈钢（轿厢宽度≥1.3米）
Ceiling：DD-10 Mirror stainless steel（Car width≥1.3m）

后壁中板：鸟/山 玫瑰金蚀刻不锈钢
Rear-wall center-panel：Bird/Mountain Rose gold etched stainless steel

侧壁中板：玫瑰金拉丝不锈钢
Side-wall center-panel：Rose gold brushed stainless steel

边板：镜面不锈钢
Side-panel：Mirror stainless steel

前壁板：镜面不锈钢
Front wall panel：Mirror stainless steel

轿门：镜面不锈钢
Car door：Mirror stainless steel

地板：DB-026 PVC
Floor：DB-026 PVC

扫描二维码
720° 了解轿厢

福禄双全

Good fortune and good fortune



JX-011 选配 Optional

吊顶：DD-07镜面不锈钢
Ceiling：DD-07 Mirror stainless steel

后壁中板：福 古铜色蚀刻不锈钢
Rear-wall center-panel：Fogu bronze etched stainless steel

侧壁中板：福 古铜色蚀刻不锈钢
Side-wall center-panel：Fogu bronze etched stainless steel

边板：镜面不锈钢
Side-panel：Mirror stainless steel

前壁板：镜面不锈钢
Front wall panel：Mirror stainless steel

轿门：镜面不锈钢
Car door：Mirror stainless steel

地板：DB-022 PVC
Floor：DB-022 PVC

扫描二维码
720° 了解轿厢

年年有余

Have a surplus every year

JX-012 选配 Optional

吊顶：DD-02 镜面不锈钢
Ceiling：DD-02 Mirror stainless steel

后壁中板：鱼 香槟金镜面蚀刻不锈钢+镶嵌式灯带
Rear-wall center-panel：Fish Champagne gold mirror etched stainless steel+mosaic light belt

侧壁中板：香槟金镜面不锈钢
Side-wall center-panel：Champagne gold mirror stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-029 PVC
Floor：DB-029 PVC

扫描二维码
720° 了解轿厢

厚德载物

Be virtuous and dutifu



JX-013 选配 Optional

吊顶：DD-09 镜面不锈钢
Ceiling：DD-09 Mirror stainless steel

后壁中板：艺术圈 镜面蚀刻不锈钢
Rear-wall center-panel：Art Circle mirror etched stainless steel

侧壁中板：镜面不锈钢
Side-wall center-panel：Mirror stainless steel

边板：镜面不锈钢（柚木纹 不锈钢）
Side-panel：Mirror stainless steel（teak grain stainless steel）

前壁板：镜面不锈钢
Front wall panel：Mirror stainless steel

轿门：镜面不锈钢
Car door：Mirror stainless steel

地板：DB-021 PVC
Floor：DB-021 PVC

扫描二维码
720° 了解轿厢

合家欢乐

Happy family



JX-015 选配 Optional

吊顶：DD-01 镜面不锈钢
Ceiling：DD-01 Mirror stainless steel

后壁中板：圆点 钛金镜面蚀刻不锈钢
Rear-wall center-panel：Polka-dot titanium mirror etching stainless steel

侧壁中板：钛金镜面不锈钢
Side-wall center-panel：Titanium gold mirror stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-022 PVC
Floor：DB-022 PVC

扫描二维码
720° 了解轿厢

财源广进

A wide range of financial resources



JX-016 选配 Optional

吊顶：DD-05 镜面不锈钢
Ceiling：DD-05 Mirror stainless steel

后壁中板：拱门 钛金镜面蚀刻不锈钢
Rear-wall center-panel：Arch titanium mirror etched stainless steel

侧壁中板：拱门 钛金镜面蚀刻不锈钢
Side-wall center-panel：Arch titanium mirror etched stainless steel

边板：钛金镜面不锈钢
Side-panel：Titanium gold mirror stainless steel

前壁板：钛金镜面不锈钢
Front wall panel：Titanium gold mirror stainless steel

轿门：钛金镜面不锈钢
Car door：Titanium gold mirror stainless steel

地板：DB-021 PVC
Floor：DB-021 PVC

扫描二维码
720° 了解轿厢

轿厢装潢

Car decoration

好运连连

Lucky streak

JX-017 选配 Optional

吊顶：DD-05 镜面不锈钢
Ceiling：DD-05 Mirror stainless steel

后壁中板：荷花 黑钛蚀刻不锈钢
Rear-wall center-panel：Lotus black titanium etched stainless steel

侧壁中板：黑钛镜面不锈钢
Side-wall center-panel：Black titanium mirror stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-S01 石塑耐磨地板
Floor：DB-S01 Stone plastic wear-resistant floor

扫描二维码
720° 了解轿厢

福泰安康

Futai ankang



JX-018 选配 Optional

吊顶：镜面不锈钢
Ceiling：Mirror stainless steel

后壁中板：镜面不锈钢
Rear-wall center-panel：Mirror stainless steel

侧壁中板：镜面不锈钢
Side-wall center-panel：Mirror stainless steel

边板：木纹 钢板
Side-panel：Wood grain steel plate

前壁板：木纹 钢板
Front wall panel：Wood grain steel plate

轿门：镜面不锈钢
Car door：Mirror stainless steel

地板：DB-022 PVC
Floor：DB-022 PVC

扫描二维码
720° 了解轿厢

XZ-G01

观光电梯轿厢装潢

Sightseeing elevator car decoration

XZ-G01 标配 Standard

吊顶：DD-05 镜面不锈钢
Ceiling：DD-05 Mirror stainless steel

后壁板：5夹5钢化玻璃
Rear-wall panel：5 clip 5 tempered glass

侧壁中板：发纹不锈钢
Side-wall center-panel：Hairline stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-022 PVC
Floor：DB-022 PVC

XZ-G02 选配 Optional

吊顶：DD-08镜面不锈钢
Ceiling：DD-08 Mirror stainless steel

后壁板：弧形钢化玻璃
Rear-wall panel：Curved tempered glass

侧壁板：发纹不锈钢
Side-wall panel：Hairline stainless steel

边板：发纹不锈钢
Side-panel：Hairline stainless steel

前壁板：发纹不锈钢
Front wall panel：Hairline stainless steel

轿门：发纹不锈钢
Car door：Hairline stainless steel

地板：DB-032 PVC
Floor：DB-032 PVC

仁者爱人，以完美细节输送生命点滴

The benevolent love,
Deliver life with perfect details

富士机电医用电梯采用先进技术，轿厢宽敞、运行平稳、设计合理、安装方便，可容纳医用担架，用于紧急就医通道，为生命争取更多时间。

FSJD hospital elevator applies the advanced technology with broad car, smooth operation, rational design and convenient installation. It can hold hospital stretcher. It is used for emergency hospital channel.It gains more time for rescuing lives.

医用电梯系列

Hospital elevator series

福寿康宁

Happiness, longevity and health

XZ-B02 标配 Standard

吊顶： DD-05 发纹不锈钢
Ceiling: DD-05 Hairline stainless steel

后壁中板： 发纹不锈钢
Rear-wall center-panel: Hairline stainless steel

侧壁中板： 发纹不锈钢
Side-wall center-panel: Hairline stainless steel

边板： 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板： 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门： 发纹不锈钢
Car door: Hairline stainless steel

地板： DB-032 PVC
Floor: DB-032 PVC

加装电梯系列

Re-installation elevator series

现场拼装
The assembled

整体吊装
Integral lifting

占地面积小，不占用公共空间

Small area, not occupying public space

无机房井道利用率高，钢结构井架与电梯设备装置有机结合，与原有建筑匹配贴合，占地面积仅为3-5m^2 ，不占道、不堵塞消防通道、不侵占公共空间。

The inorganic room has a high utilization rate of the shaft, and the steel derrick and elevator equipment are organically combined.It matches and fits with the original building. It covers an area of only 3-5m^2 . It does not occupy the road, block the fire-fighting passage and occupy the public space.

钢结构模块化，耐久稳固

Modular steel structure, durable and stable

利用定型钢材，采用独特的设计和工艺制作。钢结构井道由专业的团队设计、制造，可适应各种复杂建筑结构，与电梯设备装置完美结合。

It utilizes standard steel material, It applies unique design. craft & technology for making. Steel structure well has been designed and manufactured by professional team, It can adapt to various complicated building structures. It perfectly combines with the elevator equipment.

多种材质选择

Multiple material selections

铝塑板+玻璃结构

Aluminum-plastic sheet+glass structure

耐腐蚀、增强强度、钢材变形不易破裂。

Anti-corrosive,strength-increasing, uneasy deformation / broken to steel materials

铝塑板结构

Aluminum-plastic panel structure

加工性能优异，施工便捷，并具有超耐候性。

Excellent machining properties, prompt & convenient construction, super weather-resistance

玻璃结构

Glass structure

井道框架采用坚固的钢结构，四面设置高强度钢化夹胶玻璃，安全可靠。

Well frame applies the firm steel structure. It sets high intensity toughened laminated glass at four sides. It is safe and reliable.

玻璃颜色可选

Optional glass color

透明玻璃 Transparent glass

蓝色 Blue

茶色 Tea color

铝塑板颜色可选

Optional aluminum-plastic panel colors

米黄 Beige

象牙白 Ivory white

深灰 Dark grey

入户方式

Entry mode

平层入户，侧平台

Flat layer entry, side platform

平层入户，双跨耳式平台

Flat layer entry, double span earplatform

平层入户，无平台直连式

Flat layer entry, no platform direct connection

平层入户，无平台直连式（贯通门）

Flat layer entry, no platform direct connection （through door）

错半层入户，直平台式

The half layer entry, straight platform

错半层入户，侧平台式

The half layer entry, side platform

富士机电系列加装电梯拥有多种现场预装方案，可针对不同现场情况灵活应用；能根据业主需求进行个性化定制，满足不同建筑加装要求。

FSJD series additional elevator has a variety of on-site preinstallation scheme, swhich can be flexibly applied according to different site conditions; Can be customized according to the needs of owners, to meet the requirements of different building installation.

载货电梯系列

Freight elevator series



旁开两扇门
2P side opening



单开门
Single door



中分四扇门
4P center opening



贯通门
Opposite door

厚物载德 豁达为怀

The thick material carries the virtuous open – minded for the bosom

在物流领域，工厂、仓库、购物中心、超级市场、机场、车站等不同场所的运货需求中，富士机电载货电梯的发展日臻完善，我们生产的电梯产品种类繁多，长期以来奠定了富士机电载货电梯"节能、安全、恒力、精准"的技术和生产优势，完成了对用户高效能和人性化的服务。

In logistics field , upon goods transport requirements in different places such as factory ; warehouse ; shopping center ; supermarket ; airport ; bus station etc ., FSJD freight elevator develops perfectly each day . Over the years ,FSJD freight elevator owns " energy – saving , safe , constant force , accurate " technology and manufacture advantages . It finishes effective and human – centered service for vast users .

变频主机

Variable frequency host

变频曳引主机，安全节能、效率高、噪音低、振动小、运行平稳、润滑性能好、性能优越，极大地满足了用户对电梯产品稳定、节能、运行平稳的高要求。

Variable frequency traction host is of the fine security and energy – saving , high efficiency , low noise , little variation , smooth travel , good lubricating performance , advantageous properties . It greatly satisfies the users ' high demands towards the lift stability , energy – saving and smooth running .

坚实耐用的轿厢

Firm and durable car

高强度的板材折弯成型技术，确保轿厢坚实耐用，另可选配公司特别设计的防撞护栏，让轿厢得到多重保护。

High strength plate bending and forming technology ensures the firm and durable car . In addition , the company specially designs Crash Barrier to implement multi – protection to the car .

载货电梯轿厢装潢

Freight elevator car decoration



XZ -H001

标配 Standard

轿顶： Ceiling:	喷涂钢板 Paint steel
通风： Ventailation:	圆形风扇 Round fan
轿壁： Car wall:	喷涂钢板 Paint steel
轿门： Car door:	喷涂钢板 Paint steel
地坎： Sill:	钢板折弯 / 钢板刨槽（选配） Bent steel plate / steel plate planer(optional)
地板： Floor :	花纹钢板 Pattern steel plate

XZ -H002

选配 Optional

轿顶： Ceiling:	喷涂钢板 Paint steel
通风： Ventailation:	圆形风扇 Round fan
轿壁： Car wall:	喷涂钢板 Paint steel
轿门： Car door:	喷涂钢板 Paint steel
地坎： Sill:	钢板折弯 / 钢板刨槽（选配） Bent steel plate / steel plate planer(optional)
地板： Floor :	花纹钢板 Pattern steel plate

COP-06

点阵显示

Dot matrix display

WH-06

点阵显示

Dot matrix display

厅门

Landing door

中分式

Center opening

旁开式

Side opening

双折中分式

Double-folded Center opening type

地板

Floor



花纹钢板

patterned steel plate

色卡

Color card series

浅灰

Light gray

XZ-SK01

米黄色

Beige

XZ-SK02

防撞条

Crash barrier

木质（选配）

wood（optional）

黑色橡胶（选配）

Black rubber（optional）

杂物电梯系列

Utility elevator series

窗口型（上下直分）

Windowsill type
（up / down straight–opening）

落地型（上下直分）

Groud type
（up / down straight–opening）

设计新颖的滑道

Slide – way with novel design

设计独特的双型材专用滑道，中间通过门滑块连接运行，既增强了电梯门开启的顺滑程度，又可减小门板间隙并易于安装调整。

Double section – material special – purpose slide – ways are of unique design . It connects with running through door slider . It strengthens the smooth elevator door opening . It also reduces door – plank gap . It is convenient for adjustment .

静音慎行的安全

The safety and stability of silence

杂物电梯为各种建筑中的小型货梯提供快捷、方便、经济的垂直运输，大大节省时间及人力资源。可广泛适用于宾馆、饭店、银行、医院等场所供运送诸如饮食、餐具、日用品等物品之用。

Dumbwaiter elevator provides small freight elevators in various buildings with the prompt , economical and convenient vertical transport . It greatly saves time and labor resources . It is widely applicable for delivering food and drinks , dining ware , daily commodities etc . in the hotel , restaurant , bank , hospital and so on .

占地空间小
Small covering area

PC机控制模块
PC machine control module

人性化设计
Human – centered design

丰富的规格型号

Rich specifications and models

载重范围在100KG–300KG，开门方式可分为货物直接进的窗台式和方便载货小车进出的落地式。

Load range :100kg–300kg. Door modes can be divided into windowsill type which is convenient for direct entry / exit of the goods and floor type which is easy for goods cart .



厅门系列

Landing door series

CM -01 首层标配 Standard

门套：发纹不锈钢
厅门：发纹不锈钢

Jamp : Hairline stainless steel
Landing door : Hairline stainless steel

CM -02 标配 Standard

门套：钢板喷涂（银灰色）
厅门：钢板喷涂（银灰色）

Jamp : Hairline stainless steel
Landing door : Mirror stainless steel

CM -03 选配 Optional

门套：钢板喷涂（米黄色）
厅门：钢板喷涂（米黄色）

Jamp : Hairline stainless steel
Landing door : Hairline etched stainless steel

CM -10 选配 Optional

门套：镜面不锈钢
厅门：镜面蚀刻不锈钢

Jamp : Mirror stainless steel
Landing door : Mirror etched stainless steel

CM -11 选配 Optional

门套：发纹不锈钢
厅门：发纹不锈钢，安全玻璃

Jamp : Hairline stainless steel
Landing door : Hair line stainless steel , safety glass

CM -12 选配 Optional

门套：发纹不锈钢
厅门：发纹蚀刻不锈钢

Jamp : Hairline stainless steel
Landing door : Hairline etched stainless steel

CM -07 选配 Optional

门套：镜面 / 钛金不锈钢
厅门：钛金蚀刻不锈钢

Jamp : Mirror / titanium gold stainless steel
Landing door : Titanium etched stainless steel

CM -22 选配 Optional

门套：镜面 / 钛金不锈钢
厅门：钛金镜面蚀刻不锈钢

Jamp : Mirror / titanium gold stainless steel
Landing door : Titanium gold mirror etched stainless steel

CM -23 选配 Optional

门套：镜面 / 钛金不锈钢
厅门：钛金镜面蚀刻不锈钢

Jamp : Mirror / titanium gold stainless steel
Landing door : Titanium gold mirror etched stainless steel

CM -25 选配 Optional

门套：镜面 / 木纹不锈钢
厅门：木纹钢板

Jamp : Mirror / wood grain stainless steel
Landing door : Wood grain steel plate

CM -17 选配 Optional

门套：镜面 / 香槟金不锈钢
厅门：香槟金不锈钢

Jamp : Mirror / champagne gold stainless steel
Landing door : Champagne gold stainless steel

CM -19 选配 Optional

门套：镜面 / 黑钛金不锈钢厅
厅门：黑钛金不锈钢

Jamp : Mirror / black titanium gold stainless steel
Landing door : Black titanium gold stainless steel

CM -20 选配 Optional

门套：镜面 / 古铜色不锈钢
厅门：古铜色蚀刻不锈钢

Jamp : Mirror / bronze stainless steel
Landing door : Bronze etched stainless steel

CM -26 选配 Optional

门套：镜面 / 玫瑰金不锈钢
厅门：玫瑰金镜面蚀刻不锈钢

Jamp : Mirror / rose gold stainiess steel
Landing door : Rose gold mirror etched stainless steel

CM -27 选配 Optional

门套：镜面 / 香槟金不锈钢
厅门：香槟金镜面蚀刻不锈钢

Jamp : Mirror / champagne gold stainless steel
Landing door : Champagne gold mirror etched stainless steel

扶手系列

Handrai series



FS-001 选配 Optional

FS-002 选配 Optional

FS-003 选配 Optional



FS-004 选配 Optional



自动扶梯

Escalator

先进科研技术，铸就至高品质

Advanced scientific research technology creates the excellent quality

自动扶梯采用国际先进技术和先进的设计理念生产制造，具有运行平稳，噪音低、经久耐用、维修方便等特点，其精巧的结构、精良的梯路、精致的带路、外形豪华美观，提供给乘客亮丽、舒适的全新感觉，让您领略现代建筑的超凡魅力和豪华气派。

The escalator applies the advanced technology and design concept . It with the features of smooth running , low noise , durable , maintain friendly , etc . With delicate structure , sophisticated step belt route , it brings the passengers with bright and comfortable travel .



自动人行道

Moving walk

时尚靓形带来更佳承载体验

Popular outline brings about better travel experience

自动人行道因其产品自身的特点，不仅能满足人流量大的运输问题，又能满足长距离步行和运送行李车、婴儿车、购物车、残疾车等，使人们在乘坐的时候特别是在购物之际上楼下楼有如履平地的感觉，极大地方便了人们的出行和购物。其方便、快捷、愉悦的乘坐需要，由此也成为各大型超市、机场、展览中心及运输转换站的首选解决方案。

Because of its own characteristics , the moving walk can meet the requirements of carrying luggage cart , shopping cart , baby cart , disabled vehicle , etc . It is the ideal solution for shopping malls , airports , exhibition center , transport interchange station , etc .

有机房客梯 土建布置图

machine room passenger elevator construction layout

井道立面图



后对重 平面布置图



侧对重 平面布置图



厅门留孔图



标准规格及尺寸（高速梯参数另算）

STANDARD SPECIFICATIONS AND DIMENSIONS

电梯型号 载重（KG）	载人数	轿厢内尺寸 宽*深*高	开门尺寸 宽*高	井道内尺寸 宽*深
TKW450	6人	1200*1000*2500	700*2100	1600*1600
TKW630	8人	1400*1100*2500	800*2100	1800*1700
TKW800	10人	1400*1350*2500	900*2100	1900*2000
TKW1000	13人	1600*1500*2500	900*2100	2100*2200
TKW1150	15人	1700*1500*2500	900*2100	2200*2200
TKW1350	18人	1800*1700*2500	1000*2100	2300*2400
		医梯：1400*2200*2500		医梯：2200*2600
TKW1600	21人	2000*1700*2500	1100*2100	2500*2400
		医梯：1450*2400*2500		医梯：2350*2800

无机房客梯 土建布置图

Machine-less room passenger elevator construction layout

井道立面图



井道平面布置图



层门预留孔



标准规格及尺寸（高速梯参数另算）

STANDARD SPECIFICATIONS AND DIMENSIONS

电梯型号 载重（KG）	载人数	轿厢内尺寸 宽*深*高	开门尺寸 宽*高	井道内尺寸 宽*深
TKW450	6人	1000*1200*2500	700*2100	1800*1550
TKW630	8人	1200*1300*2500	800*2100	1950*1650
TKW800	10人	1350*1400*2500	900*2100	2100*1750
TKW1000	13人	1500*1600*2500	900*2100	2300*2000
TKW1150	15人	1500*1800*2500	900*2100	2350*2200
TKW1350	18人	1500*2000*2500	1000*2100	2500*2400
		医梯：1400*2200*2500		医梯：2400*2600
TKW1600	21人	1650*2100*2500	1100*2100	2650*2500
		医梯：1450*2400*2500		医梯：2450*2800

别墅电梯 土建布置图

Villa elevator construction layout

井道立面图



后对重平面布置图



侧对重平面布置图



层门预留孔



载货电梯 土建布置图

Freight elevator construction layout

井道立面图



井道平面布置图



层门留孔图



标准规格及尺寸

STANDARD SPECIFICATIONS AND DIMENSIONS

电梯型号 载重	轿厢内尺寸 宽*深*高	开门尺寸 宽*高	井道内尺寸 宽*深	顶层高度
TH2000	1900*2200*2300	旁开1600*2100	2800*2700	4500
TH3000	2200*2600*2300	旁开1800*2100	3200*3200	4500
TH5000	2400*3600*2400	旁开2000*2300	3500*4200	4600
TH6000	2600*4000*2500	2200*2400	3900*4500	4800
TH8000	2600*5300*2500	2400*2400	4300*5200	4800
TH10000	3000*5500*2500	2600*2400	4300*6000	4800

自动扶梯 土建布置图

Escalator construction layout



扶梯型号	TFM	
扶梯速度	0.5m/s	
倾斜度α	30°	35°
提升高度	H	
两梁跨距	HL=a+b+c	

标准规格及尺寸

STANDARD SPECIFICATIONS AND DIMENSIONS

梯级宽度	A	600	800	1000
外型宽度	B	1140	1340	1540
土建开口宽度	C	1200	1400	1600
扶手中心距	D	838	1038	1238
楼板开口宽度	E	1838	2038	2238
支撑座长度	I	1140	1340	1540
提升高度 H≤6m（H小于等于6m）	倾斜度α	30°	35°	
	a	2198	2242	
	b	1.732xH	1.428xH	
	c	2567	2663	
	d	4100	4300	
	e	4000+1.732xS	3300+1.428xS	
	H1	无N/A	无N/A	
	L1	无N/A	无N/A	
提升高度 6米＜H≤9米（6m＜H≤9m）	倾斜度α	30°		
	a	2688		
	b	1.732xH		
	c	3057		
	d	4900		
	e	4000+1.732xS		
	H1	以土建图为准		
	L1	以土建图为准		

技术说明

TECHNICAL DESCRIPTION

1.本图尺寸单位为mm；安装场所内为室内；适用于提升高度H≤9米，速度v=0.5m/s。
2.选用梯级宽度600mm，桁架上部须延长417mm。
3.提升高度超过7.8米，桁架上部须延长417mm。
4.动力电源为三相交流380 V 50Hz。
5.当水平跨度L＞15.0米时需加1中间支撑，位置基本居中。
6.当自动扶梯装于二楼以上时，地坑取消，土建下部结构与上部对称。
7.在自动扶梯出入口应有充分畅通区域，其宽度不小于1238，深度从扶手带转向端到前面障碍物不小于2500。
8.自动扶梯扶手中心线至任何障碍物之间的距离不小于500mm，当该距离小于500mm时，用户需在扶手带上分设置一个无锐利边缘的垂直防护挡板。

1.The unit is mm,installed in indoor.The layout drawing is suitable for the construction which the height is under 9m with speed 0.5m/s.
2.If the step width is 600mm,417mm should be extended at the upper of the truss.
3.If the rise is more than 7.8m,417mm should be extended at the upper of the truss.
4.Power supply with 3 phase 380V 50hz.
5.When the L＞15m,one supporting is required at the center.
6.When installed at second floor or above,then no need for pit,the construction of lower entrance is symmetrical to the upper entrance.
7.There should be free area at the entrance with width more than 1238mm and depth more than 2500 from the handrail turning point.
8.The distance from the center line for the handrail to the obstacle should be more than 500mm,if not ,the user has to fix a vertical protection plate without sharp edge above the handrail.

自动人行道 土建布置图

Moving walk construction layout



标准规格及尺寸

STANDARD SPECIFICATIONS AND DIMENSIONS

梯级宽度A			扶手中心距B	外型宽度C	土建开口宽度D	楼板开门宽度E	支撑座长度F
800			1000	1400	1460	2100	1400
1000			1288	1600	1660	2310	1600
倾斜角度	提升高度		中间支撑	La	Lb	H1	
	自From	至To	R3				
12°	1061	2508	–	–	–	–	–
	1000	5695	1	L/2	L/2	H-(Lax0.2126+545)	
	5696	6000	1	L/3	L/3	H-(Lax0.2126+546)	

技术参数

TECHNICAL PARAMETERS

人行道型号	TRM
人行道速度	0.5m/s
倾斜度α	12°
提升高度	H
两梁跨距	L=Hx4.7046+3200

技术说明

TECHNICAL DESCRIPTION

1.本图尺寸单位为mm；适用于提升高度H≤6米，速度V=0.5m/s。
2.选用梯双驱动，桁架上部须延长417mm。
3.动力电源为三相交流380v50Hz。
4.当自动扶梯装于二楼以上时，地坑取消，土建下部结构与上部对称。
5.在自动扶梯出入口应有充分畅通区域，其宽度不小于1238，深度从扶手带转向端到前面障碍物不小于2500。
6.自动扶梯扶手中心线至任何障碍物之间距离不小于500mm，当该距离小于500mm时，用户需在扶手带上方设置一个无锐利边缘的垂直防护挡板。

1.The unit is mm.The layout drawing is suitable for the construction which the height is under 6m with speed 0.5m/s.
2.If with double drive,417mm should be extended at the upper of the truss.
3.Power supply with 3 phase 380V 50Hz.
4.When installed at second floor or above,then no need fot pit,the construction of lower entrance is symmetriacal to the upper entrance.
5.There should be free area at the entrance with width more than 1238mm and depth more than 2500 from the handrail turning point.
6.The distance from the center line for the handrail to the obstacle should be more than 500mm,if not,the user has to fix a vertical protection plate without sharp edge above the handrail.

富士机电电梯服务网点

Fushi Jidian elevator service network



*本地图仅代表富士机电电梯服务范围，并非中国国土地图，
富士机电电梯坚定维护国家统一、民族团结、领土完整原则！